



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

PTP Name :

PRIYAN INTERNATIONAL LAB AND TECHNOLOGY (OPC) PRIVATE LIMITED, 2ND AND 3RD FLOOR, C 247, SECTOR 10, NOIDA, GAUTAM BUDDHA NAGAR, UTTAR PRADESH, INDIA

Accreditation Standard

ISO/IEC 17043: 2010

Certificate Number

PC-1082

Page No

1 of 5

Validity

29/01/2024 to 28/01/2026

Last Amended on

18/03/2024

S.No	Discipline/ Sub-discipline	Proficiency Testing Scheme/ Type of PT Item/ Matrix	Measurand/ Characteristic/ Type of measurand/ Type of characteristic/ Analyte/ Parameter
1	TESTING-CHEMICAL	Simultaneous Scheme/ Drug & Pharmaceuticals (Albendazole Tablet)	Assay by UV
2	TESTING-CHEMICAL	Simultaneous Scheme/ Drug & Pharmaceuticals (Amoxycillin Capsule IP)	Assay by HPLC
3	TESTING-CHEMICAL	Simultaneous Scheme/ Drug & Pharmaceuticals (Amoxycillin Capsule IP)	Dissolution by UV
4	TESTING-CHEMICAL	Simultaneous Scheme/ Drug & Pharmaceuticals (Boric Acid)	Assay by Titration
5	TESTING-CHEMICAL	Simultaneous Scheme/ Drug & Pharmaceuticals (Cefixime Tablet)	Assay by HPLC
6	TESTING-CHEMICAL	Simultaneous Scheme/ Drug & Pharmaceuticals (Cefixime Tablet)	Dissolution by UV
7	TESTING-CHEMICAL	Simultaneous Scheme/ Drug & Pharmaceuticals (Cefixime Tablet)	Water by Karl Fischer
8	TESTING-CHEMICAL	Simultaneous Scheme/ Drug & Pharmaceuticals (Cetirizine Tablet)	Assay by HPLC
9	TESTING-CHEMICAL	Simultaneous Scheme/ Drug & Pharmaceuticals (Cetirizine Tablet)	Dissolution by UV
10	TESTING-CHEMICAL	Simultaneous Scheme/ Drug & Pharmaceuticals (Citric Acid Anhydrous)	Assay by Titration
11	TESTING-CHEMICAL	Simultaneous Scheme/ Drug & Pharmaceuticals (Diclofenac Sodium & Paracetamol Tablet)	4-Aminophenol by HPLC
12	TESTING-CHEMICAL	Simultaneous Scheme/ Drug & Pharmaceuticals (Diclofenac Sodium & Paracetamol Tablet)	Assay by HPLC (Diclofenac Sodium)



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

PTP Name :

PRIYAN INTERNATIONAL LAB AND TECHNOLOGY (OPC) PRIVATE LIMITED, 2ND AND 3RD FLOOR, C 247, SECTOR 10, NOIDA, GAUTAM BUDDHA NAGAR, UTTAR PRADESH, INDIA

Accreditation Standard

ISO/IEC 17043: 2010

Certificate Number

PC-1082

Page No

2 of 5

Validity

29/01/2024 to 28/01/2026

Last Amended on

18/03/2024

S.No	Discipline/ Sub-discipline	Proficiency Testing Scheme/ Type of PT Item/ Matrix	Measurand/ Characteristic/ Type of measurand/ Type of characteristic/ Analyte/ Parameter
13	TESTING-CHEMICAL	Simultaneous Scheme/ Drug & Pharmaceuticals (Diclofenac Sodium & Paracetamol Tablet)	Assay by HPLC (Paracetamol)
14	TESTING-CHEMICAL	Simultaneous Scheme/ Drug & Pharmaceuticals (Diclofenac Sodium & Paracetamol Tablet)	Dissolution by HPLC (Diclofenac Sodium)
15	TESTING-CHEMICAL	Simultaneous Scheme/ Drug & Pharmaceuticals (Diclofenac Sodium & Paracetamol Tablet)	Dissolution by HPLC (Paracetamol)
16	TESTING-CHEMICAL	Simultaneous Scheme/ Drug & Pharmaceuticals (Diclofenac Sodium)	Identification by IR
17	TESTING-CHEMICAL	Simultaneous Scheme/ Drug & Pharmaceuticals (Dicyclomine Hydrochloride)	Assay by Titration
18	TESTING-CHEMICAL	Simultaneous Scheme/ Drug & Pharmaceuticals (Dicyclomine Hydrochloride)	Loss on Drying
19	TESTING-CHEMICAL	Simultaneous Scheme/ Drug & Pharmaceuticals (Domperidone Maleate)	Assay by Titration
20	TESTING-CHEMICAL	Simultaneous Scheme/ Drug & Pharmaceuticals (Domperidone Maleate)	Loss on Drying
21	TESTING-CHEMICAL	Simultaneous Scheme/ Drug & Pharmaceuticals (Drug Substance)	Loss on Drying
22	TESTING-CHEMICAL	Simultaneous Scheme/ Drug & Pharmaceuticals (Drug Substance)	Melting Range
23	TESTING-CHEMICAL	Simultaneous Scheme/ Drug & Pharmaceuticals (Drug Substance)	Refractive Index
24	TESTING-CHEMICAL	Simultaneous Scheme/ Drug & Pharmaceuticals (Drug Substance)	Specific Optical Rotation



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

PTP Name :

PRIYAN INTERNATIONAL LAB AND TECHNOLOGY (OPC) PRIVATE LIMITED, 2ND AND 3RD FLOOR, C 247, SECTOR 10, NOIDA, GAUTAM BUDDHA NAGAR, UTTAR PRADESH, INDIA

Accreditation Standard

ISO/IEC 17043: 2010

Certificate Number

PC-1082

Page No

3 of 5

Validity

29/01/2024 to 28/01/2026

Last Amended on

18/03/2024

S.No	Discipline/ Sub-discipline	Proficiency Testing Scheme/ Type of PT Item/ Matrix	Measurand/ Characteristic/ Type of measurand/ Type of characteristic/ Analyte/ Parameter
25	TESTING-CHEMICAL	Simultaneous Scheme/ Drug & Pharmaceuticals (Drug Substance)	Water by Karl Fischer
26	TESTING-CHEMICAL	Simultaneous Scheme/ Drug & Pharmaceuticals (Lactose)	Specific Optical Rotation
27	TESTING-CHEMICAL	Simultaneous Scheme/ Drug & Pharmaceuticals (Ofloxacin Tablet)	Assay by HPLC
28	TESTING-CHEMICAL	Simultaneous Scheme/ Drug & Pharmaceuticals (Ofloxacin Tablet)	Dissolution by UV
29	TESTING-CHEMICAL	Simultaneous Scheme/ Drug & Pharmaceuticals (Omeprazole Gastro Resistant Capsule IP)	Assay by HPLC
30	TESTING-CHEMICAL	Simultaneous Scheme/ Drug & Pharmaceuticals (Omeprazole Gastro Resistant Capsule IP)	Dissolution by HPLC (ACIDIC)
31	TESTING-CHEMICAL	Simultaneous Scheme/ Drug & Pharmaceuticals (Omeprazole Gastro Resistant Capsule IP)	Dissolution by HPLC (BUFFER)
32	TESTING-CHEMICAL	Simultaneous Scheme/ Drug & Pharmaceuticals (Oral Liquids)	pH
33	TESTING-CHEMICAL	Simultaneous Scheme/ Drug & Pharmaceuticals (Oral Liquids)	Weight per ml
34	TESTING-CHEMICAL	Simultaneous Scheme/ Drug & Pharmaceuticals (Paracetamol Oral Suspension IP)	Assay by HPLC
35	TESTING-CHEMICAL	Simultaneous Scheme/ Drug & Pharmaceuticals (Paracetamol Oral Suspension)	Related Substance by HPLC
36	TESTING-CHEMICAL	Simultaneous Scheme/ Drug & Pharmaceuticals (Paracetamol Tablet IP)	Assay by UV



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

PTP Name :

PRIYAN INTERNATIONAL LAB AND TECHNOLOGY (OPC) PRIVATE LIMITED, 2ND AND 3RD FLOOR, C 247, SECTOR 10, NOIDA, GAUTAM BUDDHA NAGAR, UTTAR PRADESH, INDIA

Accreditation Standard

ISO/IEC 17043: 2010

Certificate Number

PC-1082

Page No

4 of 5

Validity

29/01/2024 to 28/01/2026

Last Amended on

18/03/2024

S.No	Discipline/ Sub-discipline	Proficiency Testing Scheme/ Type of PT Item/ Matrix	Measurand/ Characteristic/ Type of measurand/ Type of characteristic/ Analyte/ Parameter
37	TESTING-CHEMICAL	Simultaneous Scheme/ Drug & Pharmaceuticals (Paracetamol Tablet IP)	Dissolution by UV
38	TESTING-CHEMICAL	Simultaneous Scheme/ Drug & Pharmaceuticals (Paracetamol Tablet)	Related Substance by HPLC Total Impurities
39	TESTING-CHEMICAL	Simultaneous Scheme/ Drug & Pharmaceuticals (Sodium Citrate IP)	Assay by Titration
40	TESTING-CHEMICAL	Simultaneous Scheme/ Drug & Pharmaceuticals (Tablet)	Disintegration Test
41	TESTING-CHEMICAL	Simultaneous Scheme/ Drug & Pharmaceuticals (Tablets)	Average Weight
42	TESTING-CHEMICAL	Simultaneous Scheme/ Food & Agricultural Products (Biscuit & Cookies)	Acid Insoluble Ash
43	TESTING-CHEMICAL	Simultaneous Scheme/ Food & Agricultural Products (Biscuit & Cookies)	Acidity of Extracted Fat (as Oleic Acid)
44	TESTING-CHEMICAL	Simultaneous Scheme/ Food & Agricultural Products (Biscuit & Cookies)	Fat
45	TESTING-CHEMICAL	Simultaneous Scheme/ Food & Agricultural Products (Biscuit & Cookies)	Moisture
46	TESTING-CHEMICAL	Simultaneous Scheme/ Food & Agricultural Products (Biscuit & Cookies)	Protein
47	TESTING-CHEMICAL	Simultaneous Scheme/ Food & Agricultural Products (Biscuit & Cookies)	Sugar as Sucrose



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

PTP Name :

PRIYAN INTERNATIONAL LAB AND TECHNOLOGY (OPC) PRIVATE LIMITED, 2ND AND 3RD FLOOR, C 247, SECTOR 10, NOIDA, GAUTAM BUDDHA NAGAR, UTTAR PRADESH, INDIA

Accreditation Standard

ISO/IEC 17043: 2010

Certificate Number

PC-1082

Page No

5 of 5

Validity

29/01/2024 to 28/01/2026

Last Amended on

18/03/2024

S.No	Discipline/ Sub-discipline	Proficiency Testing Scheme/ Type of PT Item/ Matrix	Measurand/ Characteristic/ Type of measurand/ Type of characteristic/ Analyte/ Parameter
48	TESTING-CHEMICAL	Simultaneous Scheme/ Food & Agricultural Products (Biscuit & Cookies)	Total Ash
49	TESTING-CHEMICAL	Simultaneous Scheme/ Water (Residues and Contaminants in Water-Trace Metal Elements)	Arsenic
50	TESTING-CHEMICAL	Simultaneous Scheme/ Water (Residues and Contaminants in Water-Trace Metal Elements)	Cadmium
51	TESTING-CHEMICAL	Simultaneous Scheme/ Water (Residues and Contaminants in Water-Trace Metal Elements)	Chromium
52	TESTING-CHEMICAL	Simultaneous Scheme/ Water (Residues and Contaminants in Water-Trace Metal Elements)	Cobalt
53	TESTING-CHEMICAL	Simultaneous Scheme/ Water (Residues and Contaminants in Water-Trace Metal Elements)	Copper
54	TESTING-CHEMICAL	Simultaneous Scheme/ Water (Residues and Contaminants in Water-Trace Metal Elements)	Iron
55	TESTING-CHEMICAL	Simultaneous Scheme/ Water (Residues and Contaminants in Water-Trace Metal Elements)	Lead
56	TESTING-CHEMICAL	Simultaneous Scheme/ Water (Residues and Contaminants in Water-Trace Metal Elements)	Manganese
57	TESTING-CHEMICAL	Simultaneous Scheme/ Water (Residues and Contaminants in Water-Trace Metal Elements)	Nickel